

Please amend the claims to read as follows.

1. (currently amended) A method of transferring a file to or from a server past a firewall, comprising the steps of:

accessing a web site behind the firewall, the web site having a web page including an applet, and the web site associated with the server;

receiving the web page and the applet from the web site;

sending the applet to an application at a file transfer gateway; and

transferring the file between the file transfer gateway and the server through the firewall;

wherein the file is pushed from the server through the firewall to the file transfer gateway by a target registering with the server behind the firewall, polling the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel and by ~~[[a]]~~ the server receiving a registration at the server behind the firewall, receiving polling of the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel.

2. (original) A method as in claim 1, wherein the web site is at a collaboration manager separate from the server.

3. (original) A method as in claim 1, wherein the applet is signed responsive to authorization of a user accessing the web site.

4. (original) A method as in claim 1, wherein accessing the web site and receiving the web page and the applet are performed using a web browser.

5. (original) A method as in claim 4, wherein the web browser and the file transfer gateway are implemented on a client.

6. (original) A method as in claim 1, wherein the application at the file transfer gateway is a file transfer service implemented on a client or edgebox.

7. (original) A method as in claim 6, wherein transferring the file between the file transfer gateway and the server is performed over a virtual channel between the file transfer service at the file transfer gateway and a file transfer adapter at the server.

8. (original) A method as in claim 1, wherein the file is transferred in chunks.

215.1022.01

10/688,066

9. (previously presented) A method as in claim 8, wherein the chunks are transferred using a basic hypertext transport mechanism.

10. (original) A method as in claim 1, further comprising the step of encrypting, decrypting, or performing some other operation on the file before or after transferring the file.

11. (currently amended) A method of transferring a file to or from a server past a firewall, comprising the steps of:

    authenticating access by a requestor to a web site behind the firewall, the web site having a web page including an applet, and the web site associated with the server;

    sending the web page and the applet to the requestor;

    receiving a request from the requestor to transfer the file to or from the requestor;

    transferring the file between the file transfer gateway and the server through the firewall;

    wherein the file is pushed from the server through the firewall to the file transfer gateway by a target registering with the server behind the firewall, polling the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel and by [[a]] the server receiving a registration at the server behind the firewall, receiving polling of the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel.

12. (original) A method as in claim 11, wherein the requestor is a browser or edgebox.

13. (original) A method as in claim 11, wherein the applet is signed responsive to authorization of the requestor.

14. (original) A method as in claim 11, wherein the web site is at a collaboration manager separate from the server.

15. (original) A method as in claim 11, wherein transferring the file between the file transfer gateway and the server is performed over a virtual channel between a file transfer service at the file transfer gateway and a file transfer adapter at the server.

16. (original) A method as in claim 11, wherein the file is transferred in chunks.

17. (original) A method as in claim 16, wherein the chunks are transferred using a basic hypertext transport mechanism.

18. (original) A method as in claim 11, further comprising the step of encrypting, decrypting, or performing some other operation on the file before or after transferring the file.

19. (currently amended) A method of downloading a file from a server past a firewall, comprising the steps of:

registering with the server behind the firewall;

polling the server for files to be downloaded; and

downloading the file from the server through the firewall over a virtual channel;

wherein the file is transferred in chunks using a basic hypertext transport mechanism; and

wherein the file is pushed from the server through the firewall by a target registering with the server behind the firewall, polling the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel and by ~~[[a]]~~ the server receiving a registration at the server behind the firewall, receiving polling of the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel.

20. (original) A method as in claim 19, further comprising the step of encrypting, decrypting, or performing some other operation on the file before or after transferring the file.

21. (currently amended) A method of downloading a file from a server past a firewall, comprising the steps of:

receiving a registration at the server behind the firewall;  
receiving polling of the server for files to be downloaded;  
and

downloading the file from the server through the firewall over a virtual channel;

wherein the file is transferred in chunks using a basic hypertext transport mechanism;

wherein the file is pushed from the server through the firewall by a target registering with the server behind the firewall, polling the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel and by ~~[[a]]~~ the server receiving a registration at the server behind the firewall, receiving polling of the server for files to be downloaded, and downloading the file from the server through the firewall over a virtual channel.

22. (original) A method as in claim 21, further comprising the step of encrypting, decrypting, or performing some other operation on the file before or after transferring the file.